

# Flush 45° LED Extrusion Profile - Corner Cabinet

Flush 45° Surface LED Tape Extrusion Profile

Aluminium 2070mm



**MR. RESISTOR®**  
Lighting Specialist Est. 1968



## PAC ALU 2.07M

Aluminium 2070mm

Quicklink: Q2FF7

### General

|              |           |
|--------------|-----------|
| Colour       | Aluminium |
| Construction | Aluminium |

### Dimensions

|        |        |
|--------|--------|
| Depth  | 10.5mm |
| Length | 2070mm |
| Width  | 30mm   |

The **Flush 45° Surface Extrusion Profile** comes in 1m or 2m lengths and is used to house our LED tape, which keeps the tapelight safe and out of the way.

Modern design, environment friendly, extrusion is dedicated to be mounted to 90 degree corners (walls, furniture, store window exhibits).

### Parts Required

#### Extrusions

As many lengths of extrusion can be used as is desired. Any 1m or 2m piece can be positioned end to end with each other to make an unlimited distance.

#### Endcap

An Endcap is required for each circuit of extrusions being used. It is positioned on the end of the very last extrusion in the circuit and is used to stop dust from and moisture from interfering with the electrical components.

#### Powerend

An Powerend is required for each circuit of extrusions being used. It is positioned on the very first extrusion in the circuit and serves the same purpose as the Endcap. The powerend has a hole in the centre which allows a cable to be fed through to power the strips.

#### Diffuser

A diffuser is used to give the light a more even blend. Simply purchase the same amount of diffusers as you did with extrusions.

Will fit any tape with a maximum width of 10mm.

This extrusion has been anodized.

# Flush 45° LED Extrusion Profile - Corner Cabinet

Flush 45° Surface LED Tape Extrusion Profile

Aluminium 2070mm



**MR. RESISTOR®**  
Lighting Specialist Est. 1968

