





FRTRD1BLKGU1055B

Black 50W Quicklink: Q3827

General

Cap GU10 Colour Black

Construction Die-Cast Aluminium

/ Steel Frame

Dimmable Yes
IP Rating IP55

Dimensions

Cut Out 80mm (Diameter)

Diameter 75mm Grid Diameter 125mm

Grid Diameter 125mm Minimum Ceiling 101mm

Minimum Ceiling 101mm (Standard Depth LED), 133mm (Long

LED)

Recessed Depth 20mm

Electrical


Maximum Wattage 50W Voltage 240V The **Trimless Downlight** is a fixed IP55 rated downlight that is available in round or square, black or white. Using the different lampholders available you can select different light sources; Halogen, LED and Metal Halide. It is designed to be plastered into ceilings to give a **seamless** appearance. One of the advantages is that the downlight can be installed then plastered and painted.

A suction cup is included with this fitting for easy lamp changing.

Please note: the ceiling depth for this downlight depends on the lamp choice. For a standard halogen GU10 lamp the depth is 90mm. For an LED GU10 lamp a ceiling depth of 130mm should be allowed.




Trimless Downlights with Large GU10 Lamp



Trimless Downlights with LED Module

Trimless Downlights with Retro GU10 Lamp



Trimless Downlights with 25mm LED Module

