



LRF3-OWLB-P-WH

White

Quicklink: Q553F

General

Colour White

Dimensions

Depth 34mm Height 110mm Width 46mm Lutron Radio Powr Savr wall-mounted occupancy and vacancy sensors are wireless, battery-powered, passive infrared (PIR) sensors that automatically control lights via RF communication to compatible dimming or switching devices.

These sensors detect the heat from people moving within an area to determine when the space is occupied. The sensors then wirelessly transmit the appropriate commands to the associated dimming or switching devices to turn the lights on or off automatically. They combine both convenience and exceptional energy savings along with ease of installation.

Features

- Wireless occupancy/vacancy sensor has 2 settings available: Auto-On/Auto-Off, and Manual-On/Auto-Off
- Vacancy model meets CA Title 24 requirements
- Passive infrared motion detection with exclusive Lutron XCT Technology for fine motion detection
- 180° field of view model: Minor motion = 1500 ft2 (139.4 m2) Major motion = 3000 ft2 (278.7 m2)
- 90° field of view model: Minor motion = 1225 ft2 (113.8 m2) Major motion = 2500 ft2 (232.3 m2)
- Hallway model with long, narrow field of view: Major motion = coverage of up to 150 ft (45.7 m)
- Simple and intuitive adjustments available for Timeout, Activity, and Auto-On settings
- Accessible test buttons make setup easy
- Lens illuminates during test mode to verify ideal locations
- Multiple sensors can be added for extended coverage; refer to product specification submittal of receiving device to determine system limits
- 10-year battery life design
- RoHS compliant

Lutron Wireless Sensors

Lutron Wireless 180deg Wall Mounted Occupancy / Vacancy Sensor $_{\rm White}$



